

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strike through~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

1. (currently amended) An interactive stub apparatus for testing a program for executing a process with externally given data, comprising:  
an electronic text parsing unit parsing an electronic text transmitted from a program to be tested to detect a required data item; and  
an electronic text data setting unit embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;  
wherein a stub-call ~~unit~~means to invoke the stub apparatus is provided in the program to be tested.

2. (original) The interactive stub apparatus for testing a program according to claim 1, further comprising  
a setting screen generating unit generating a data setting screen for receiving the input data value, which corresponds to the detected data item, and giving the set value to said electronic text data setting unit.

3. (original) The interactive stub apparatus for testing a program according to claim 2, further comprising  
an input value generating unit automatically generating input data in correspondence with the data item detected by said electronic text parsing unit, and giving the generated input data to said setting screen generating unit.

4. (original) The interactive stub apparatus for testing a program according to claim 2, further comprising:  
an electronic text data storing unit storing the set data value embedded by said electronic text data setting unit; and

an electronic text data reading unit reading the data stored in said electronic text data storing unit, and giving the read data to said setting screen generating unit as the input data.

5. (currently amended) A computer-readable portable storage medium, which is used by a computer for testing a program for executing a process with externally given data and on which is recorded a stub program for causing the computer to execute a process, the process comprising:

parsing an electronic text transmitted from a program to be tested to detect a required data item; and

embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;

wherein a stub-call ~~unit~~means to invoke the stub program is provided in the program to be tested.

6. (currently amended) The computer-readable portable storage medium according to claim 5, the process further comprising

a setting screen generating process of generating a data setting screen for receiving the input data value, which corresponds to the detected data item, and giving a set value to said ~~step of~~ embedding the input data value, as the input data value.

7. (currently amended) The computer-readable portable storage medium according to claim 6, the process further comprising

an input value generating process of automatically generating input data, which corresponds to the detected data item, and giving the generated input data to said setting screen generating ~~step~~.

8. (currently amended) The computer-readable portable storage medium according to claim 6, the process further comprising:

storing the set data value embedded in the electronic text to be transmitted to the side of the program to be tested; and

reading the stored set data from the electronic text data, and giving the read data to said setting screen generating ~~step~~ as the input data.

9. (currently amended) A stub program, which is used by a computer for testing a program for executing a process with externally given data, and causes the computer to perform:

parsing an electronic text transmitted from a program to be tested to detect a required data item; and

embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;

wherein a stub-call ~~unit~~means to invoke the stub program is provided in the program to be tested.

10. (previously presented) A method testing a program for executing a process with externally given data, comprising:

parsing an electronic text transmitted from a program to be tested to detect a required data item; and

embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;

wherein the method is invoked by the program to be tested.

11. (currently amended) A stub apparatus for testing a program for executing a process with externally given data, comprising:

electronic text parsing means for parsing an electronic text transmitted from a program to be tested to detect a required data item; and

electronic text data setting means for embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;

wherein a stub-call ~~unit~~means to invoke the stub apparatus is provided in the program to be tested.

12. (currently amended) An interactive stub apparatus for testing a program for executing a process with externally given data, comprising:

an electronic text parsing unit parsing an electronic text transmitted from a program to be tested to detect a required data item; and

an electronic text data setting unit embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;

wherein

a stub-call unitmeans to invoke the stub apparatus is provided in the program to be tested;

the electronic text includes attribute information including a name, a type, an allowable format, and an allowable size of the required data item;

a time point of the transmission of the electronic text from the program to be tested to the stub apparatus is at the same time as or later than a point when the stub apparatus is invoked; and

the transmission of the electronic text from the program to be tested to the stub apparatus precedes a point when information is transmitted from the stub apparatus to the program to be tested firstly after the point when the stub apparatus is invoked.

13. (currently amended) A computer-readable portable storage medium, which is used by a computer for testing a program for executing a process with externally given data and on which is recorded a stub program for causing the computer to execute a process, the process comprising:

parsing an electronic text transmitted from a program to be tested to detect a required data item; and

embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;

wherein

a stub-call unitmeans to invoke the stub program is provided in the program to be tested;

the electronic text includes attribute information including a name, a type, an allowable format, and an allowable size of the required data item;

a time point of the transmission of the electronic text from the program to be tested to the stub program is at the same time as or later than a point when the stub program is invoked; and

the transmission of the electronic text from the program to be tested to the stub program precedes a point when information is transmitted from the stub program to the program to be tested firstly after the point when the stub program is invoked.

14. (currently amended) A stub program, which is used by a computer for testing a program for executing a process with externally given data, and causes the computer to perform;

parsing an electronic text transmitted from a program to be tested to detect a required data item; and

embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;

wherein

a stub-call ~~unit~~means to invoke the stub program is provided in the program to be tested; the electronic text includes attribute information including a name, a type, an allowable format, and an allowable size of the required data item;

a time point of the transmission of the electronic text from the program to be tested to the stub program is at the same time as or later than a point when the stub program is invoked; and

the transmission of the electronic text from the program to be tested to the stub program precedes a point when information is transmitted from the stub program to the program to be tested firstly after the point when the stub program is invoked.

15. (previously presented) A method testing a program for executing a process with externally given data, comprising:

parsing an electronic text transmitted from a program to be tested to detect a required data item; and

embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;

wherein

the method is invoked by the program to be tested;

the electronic text includes attribute information including a name, a type, an allowable format, and an allowable size of the required data item;

a time point of the transmission of the electronic text from the program to be tested is at the same time as or later than a point when the method is invoked; and

the transmission of the electronic text from the program to be tested precedes a point when information is transmitted to the program to be tested firstly after the point when the method is invoked.

16. (currently amended) A stub apparatus for testing a program for executing a process with externally given data, comprising:

electronic text parsing means for parsing an electronic text transmitted from a program to be tested to detect a required data item; and

electronic text data setting means for embedding an input data value, which corresponds to the detected data item, in an electronic text to be transmitted to a side of the program to be tested;

wherein

a stub-call ~~unit~~means to invoke the stub apparatus is provided in the program to be tested;

the electronic text includes attribute information including a name, a type, an allowable format, and an allowable size of the required data item;

a time point of the transmission of the electronic text, from the program to be tested to the stub apparatus is at the same time as or later than a point when the stub apparatus is invoked; and

the transmission of the electronic text from the program to be tested to the stub apparatus precedes a point when information is transmitted from the stub apparatus to the program to be tested firstly after the point when the stub apparatus is invoked.